



AMENDMENT T	RANSMITTAL I	LETTER	 Docket No. SHO-0110	
Application No.	Filing Date	Examiner	Art Unit	

10/541,759-Conf. #3910 June 2, 2006 H. M. Hyeon 2839

Applicant(s): Taichiro MIYAO et al.

Invention:

OPTICAL RECEPTACLE ADAPTED FOR CONNECTION TO AN OPTICAL PLUG (as amended)

#### TO THE COMMISSIONER FOR PATENTS

Transmitted herewith is an amendment in the above-identified application.

		CL	AIM.	S AS AMENI	DED		
	Claims Remaining After Amendment	Highes Numbe Previous Paid	r	Number Extra Claims Present		Rate	
Total Claims	34	- 34	=	0	X	50.00	0.00
ndependent Claims	1	- 3	=	0	x	200.00	0.00
Multiple Depend	lent Claims (ch	eck if appl	icab	e)			
Other fee (pleas	e specify):			•			
TOTAL ADDITIONAL FEE FOR THIS AMENDMENT:							0.00
x Large Entity						Small Entity	
X No additiona	al fee is require	d for this a	amei	ndment.	. —		
	ge Deposit Acc				n the a	mount of \$	·
A check in th	ne amount of \$			to cover	the filir	ng fee is enclo	sed.
Payment by	credit card: Fo	orm PTO-	2038	3 is attached.			
The Director	r is hereby auth d below. A dup						18-0013
x Credit a	ny overpaymei	nt.					
x Change a	any additional fil	ing or appl	icatio	on processing	fees red	quired under 37	CFR 1.16 and 1.17
( jul)	Je				_	Dated:	March 22, 2007
Carl <del>Schaukow</del> Attorney/Agent		211					
RADER, FISHN 1233 20th Stree Suite 501	et, N.W.	R PLLC					

Washington, DC 20036

(202) 955-3750

# IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the Accidentation of:

Taichiro MIYAO et al.

Attorney Docket No.: SHO-0110

Examiner: H. M. Hyeon

Application No.: 10/541,759 | Art Unit: 2839

Filed: June 2, 2006 Confirmation No.: 3910

For: OPTICAL RECEPTACLE ADAPTED FOR

CONNECTION TO AN OPTICAL PLUG (as amended)

# **RESPONSE TO FINAL REJECTION UNDER 37 C.F.R. §1.116**

### Mail Stop AF

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

### I. INTRODUCTORY COMMENTS

In response to the final Office Action dated January 26, 2007, please amend the above-identified application as set forth below.

Claims 1-13 and 15-19 are pending in the application. There are no amendments to the claims in this Response.

### **II. AMENDMENTS TO THE DRAWINGS**

(There are no amendments to the drawings)

## **III. AMENDMENTS TO THE SPECIFICATION**

(There are no amendments to the specification)